IEEE STANDARDS ASSOCIATION



IEEE Taggant System

Mark Kennedy, Igor Muttik

Who we are

- Representing IEEE Industry Connections Security Group (ICSG)
- Mark Kennedy Chair of ICSG Malware Working Group, Symantec
- Igor Muttik Vice-Chair of ICSG Malware Working Group, McAfee/Intel
- IEEE ICSG membership includes:



Agenda

- The problem
- The solution Taggant System
- The players
- Benefits
 - For the Users (2 types)
 - For the Vendors (2 types)
- Taggants vs authenticode
- How the system works
- The lifecycle
- Current project status





The Packer Problem



- Packer Software takes an executable and "packs" it
- This packing changes the executable by:
 - Compressing (packed file is smaller than the original)
 - Anti-Debugging (packed file is obfuscated to make reverseengineering difficult or impossible)
 - Using p-code virtualization (code executes under an interpreter)
 - Combination of above methods
- Each of these changes have certain options
- By varying these options, one can make a near limitless number of variants from a single executable
- This becomes extremely cheap Server Side Polymorphism



Definitions

- Packed File (Obfuscated Software or Malware) A result of applying Packer Software to a program file. This output file may or may not have a taggant associated with it.
- Packed File User The end user, an individual who runs it.
- Packer User An individual or organization that purchases or obtains Packer Software from a Software Packer Vendor.
- Packer Software The tool used by Packer Users to create Packed Files.
- Software Packer Vendor Develops, sells and markets the Packer Software to Packer Users.
- Security Vendors Provide software to inspect files (Packed Files and other files which may or may not include a taggant).



66 A taggant is a chemical or physical marker added to materials to allow various forms of testing. Taggants allow testing marked items for qualities such as lot number and concentration (to test for dilution, for example). In particular, taggants are known to be widely used in plastic, sheet and flexible explosives.



http://en.wikipedia.org/wiki/Taggant



The IEEE Solution – Software Taggant

- The IEEE Software Taggant System will allow the "tagging" of the output of Packer Software with a cryptographically secure signature that enables positive origin identification and integrity of a Packed File using standard PKI techniques.
 - It is a portable C library
 - For packer vendors to write a taggant
 - For AV companies to read and verify it
- This will effectively "de-anonymize" code created by packers.
- Packing of malware creates problems for all the players:
 - For security companies (AV)
 - For Software Packer Vendors (producers of packers)
 - For the users of packers (who pack software for the end users)
 - For the end users
- Our solution: Software Taggant System

IEEE STANDARDS ASSOCIATION

Vendors

Users

Security

Vendors

End

Users

333

Packer

Vendors

Packer

Users

Benefits for Everyone!

- Security Vendors
 - More proactive protection
 - Less false positives and slowdowns
 - Less resources wasted
- Software Packer Vendors
 - Less false positives
 - Enforcing of licensing, less piracy, higher returns
 - One point of contact with security industry
 - SPV are now part of the solution
 - Competitive benefits
 - It is free
- Packer Users and End-Users
 - Less false positives and slowdowns
 - It is transparent and free (unlike digital signatures)
- We are hoping to solve the problem of packed malware in ~2-3 years







Taggant vs authenticode

- Taggant contains a "performant" hash (SHA256 by default)
 - Covers only vital executable areas
- Taggant allows a fall-back on to a "default" hash
 - It covers the whole file (almost whole)
 - Will be used if the performant hash is broken
- Creating and using files with taggants is free
 - Included by the packing software automatically
 - The PKI infrastructure will be sponsored by AV companies
- Taggants are compatible with authenticode
 - Digital signature can be applied after a packer included a taggant





How the System Works



AV products can then block packed malware by recognizing bad sources



The lifecycle

Step 1 – packer vendor
New packer vendor contacts IEEE
IEEE verifies the vendor
IEEE creates a vendor login
Vendor asks for a URL for a user
URL is embedded into the license for each user's packer setup
Packer user gets the packer setup

Step 2 – packer software setup

The setup logs into a unique URL

IEEE creates a key pair

Setup gets a certificate back

Step 3 – packer obfuscates a file
Packer is executed to pack a file
Taggant is created with 3 hashes
Timestamp is included
Setup/user certificate is included
Taggant is part of the packed file
Packed file is distributed

Step 4 – packed file executes

End user runs a packed file

AV checks the source (the setup certificate & maybe a timestamp)

AV blocks if bad



Status of the project

Documentation is ready

IEEE issued RFP with the deadline on 07 October 2011
 Write library code in C

Implementation to be ready by January 2012

IEEE

Questions



http://standards.ieee.org/develop/indconn/icsg

IEEE STANDARDS ASSOCIATION



IEEE Software Taggant System